Mosaic 4" Pocket (102 mm)

Formerly 3500

Recessed Linear Pocket Housing for Accent Lighting and Indirect Cove


The Mosaic Family


Welcome to the Mosaic Family of linear configurable concealed track pockets and accent lights. The knife edge aperture integrates within the architectural environment as a clean, minimal incision into the ceiling. The pocket contains many useful lighting tools in the form of Mosaic Family accent lights and wall washers that can be mounted anywhere along the pocket's length, powered by concealed track or remote power supplies. Continuous indirect cove lighting can also be integrated and concealed behind the slot's shallow knife edge. The housing has variety of 90 degree corner and intersecting components for a wide range of configurable layouts. You have found the Mosaic 4" Pocket and we hope that you enjoy the details.

PROJECT: TYPE:

SPECIFIER: DATE:

Mosaic 4” (X-Run) Right Angle





Key Points (MSC-P4)

Housing

- Extruded aluminum flangeless knife-edge housing for use in GWB ceilings with fabricated aluminum cavity to contain a variety of lighting options.
- Can be custom configured in terms of lengths and layouts. Our standard offering includes right angle corners, right angle t's and and right angle x intersections.
- Can be finished in any of our painted finishes + custom RAL. Note that Accent Heads are available in White or Black only.
- Integration of speakers, sprinklers, security cameras and HVAC diffusers (supplied by others) is possible. Consult factory.


Mosaic Knife Edge Concealed Lighting

- For T1 and T2 configurations track is furnished on one or two sides of knife edge housing.
- For MH1 and MH2 configurations power supplies are furnished on one or two sides of knife edge housing.
- For TCV configurations track is furnished on one side of knife edge housing and linear indirect cove light on opposite side.
- For MHCV configurations magnetic heads are furnished on one side of knife edge housing and linear indirect cove light on opposite side.
- For CV1 and CV2 configurations linear indirect cove lights linear are furnished on one or two sides of knife edge housing.
- Track and linear indirect cove lights are furnished and coordinated with run length and configuration shapes.
- 120 volt track is furnished with two or three separately powered circuits and a single pair of data wires. In three circuit track all circuits are dimmable, but on a single control channel. In two circuit track, both circuits are dimmable as a single control channel.


Drivers

- 0-10 volt dimming, DALI available for Track mounted and Magnetic mounted Accent Heads and linear indirect cove lighting. Refer to MSC-T, MSC-H and MSC-CV cutsheets for details.


Lighting Configurations




T1 - (TRACK - SINGLE)
MH1 - (MAGNETIC HEAD - SINGLE)




TCV - (TRACK AND INDIRECT COVE)
MHCV - (MAGNETIC HEAD AND INDIRECT COVE)



T2 - (TRACK - DOUBLE)
MH2 - (MAGNETIC HEAD - DOUBLE)



CV1 - (INDIRECT COVE - SINGLE)



CV2 - (INDIRECT COVE - DOUBLE)

Track, Track or Magnetic Heads and Indirect Cove Light Fixtures need to specified separately.	
For Track - See Mosaic Track	MSC-T
For Track and Magnetic Mount Heads - See Mosaic Heads	MSC-H
For Indirect Cove - See Mosaic Indirect	MSC-CV

© 2026 Specialty Lighting Industries
NOTE: Last Updated on Wed, Oct 21, 2026 4:44 PM.
These specifications are subject to change without notice.
Specialty Lighting Industries
1306 Doris Ave., Ocean, NJ 07712
Tel. 732.517.0800 | Fax 732.517.0971

Mosaic 4" Pocket (102 mm)

Formerly 3500

Recessed Linear Pocket Housing for Accent Lighting and Indirect Cove

Ordering Codes

PROJECT: SPECIFIER:

DATE: TYPE: QUANTITY:

Ordering Code Example: MSC-P4-KZ-AT-R-(96x60)-TCV-P14-P13

FIXTURE	TRIM	MOUNTING	LENGTH	CONFIGURATION	HOUSING FINISH	TRIM FINISH	ACCESSORIES
MSC-P4							
Mosaic 4" Pocket	Flangeless Housings KZ Knife-edge Flangeless	AT Airtight Housing	S-(A") Straight Runs R-(A"xB") Rectangular Runs L-(A"xB") L- Right Angle Runs T-(A"xB"xC") T Runs X-(A"xB"xC"xD") X-Right Angle Intersection G-(A"xB"xC"xD") Grid Runs Note: Refer to Run Length Configurations page for standard run shapes and dimensioning conventions. Provide all key dimensions in inches. Consult factory for other run shapes and configurations.	T1 Track - Single T2 Track - Double TCV Track and Indirect Cove MHCV Magnetic Accent Heads and Indirect Cove MH1 Magnetic Accent Head - Single MH2 Magnetic Accent Head - Double CV1 Indirect Cove-Single CV2 Indirect Cove-Double Note: Track, Accent Heads and Indirect Cove Lighting Fixtures need to specified and ordered separately. Refer to: MSC-T for Mosaic Track MSC-H for Mosaic Accent Heads MSC-CV for Mosaic Indirect Cove	W White Paint B Black Paint PXX Specialty Paint Color* P01-P15 C Custom/RAL FINISH GUIDE LINK	W White Paint B Black Paint PXX Specialty Paint Color* P01-P15 C Custom/RAL Color FINISH GUIDE LINK	BABA BABA Products


© 2026 Specialty Lighting Industries

NOTE: Last Updated on Wed, Oct 21, 2026 4:44 PM.
These specifications are subject to change without notice.


Specialty Lighting Industries
1306 Doris Ave., Ocean, NJ 07712
Tel. 732.517.0800 | Fax 732.517.0971

Run Length Configurations and Details


4”- Straight Runs (S - A”)




4”- L-Right Angle Runs (L- A” x B”)




4”- T- Runs (T - A” x B” x C”)




4”- X- Right Angle Intersect (X - A” x B” x C” x D”)



4”- Rectangular Runs (R - A” x B”)




4”- Grid Runs (G - A” x B” x C” x D”)




© 2026 Specialty Lighting Industries
NOTE: Last Updated on Wed, Oct 21, 2026 4:44 PM.
These specifications are subject to change without notice.
Specialty Lighting Industries
1306 Doris Ave., Ocean, NJ 07712
Tel. 732.517.0800 | Fax 732.517.0971

Run Length Configurations and Details


4”- Right Angle “L” Intersection



4”- Right Angle “T” Intersection



4”- “X” Intersection




© 2026 Specialty Lighting Industries


Specialty Lighting Industries
1306 Doris Ave., Ocean, NJ 07712
Tel. 732.517.0800 | Fax 732.517.0971

Ceiling Cutouts and Dimensions

4”- Housing with Direct and Indirect Lighting



4”- Housing with Indirect Lighting



© 2026 Specialty Lighting Industries
NOTE: Last Updated on Wed, Oct 21, 2026 4:44 PM.
These specifications are subject to change without notice.
Specialty Lighting Industries
1306 Doris Ave., Ocean, NJ 07712
Tel. 732.517.0800 | Fax 732.517.0971