


Framing Projector Canopy Mount



PROJECT:

TYPE:

SPECIFIER:

DATE:

Key Points (SCFP)

Housing

- Numerous Mounting options
- Finishes: Standard black and white
- Durable die-cast aluminum craftsmanship
- For use with A.A.G Stucchi surface and recessed track
- Accepts accessories (filters, GoBo, etc)

Source/Optics

- 360° horizontal rotation and 90° vertical aiming
- 90+ CRI standard
- 2 Different output options (10W and 30W)
- Beam Range 20° to 35°
- Precise, high definition built-in zoomable and shapeable projection
- IP20 

Driver And Control

- TruPhase™, 0-10v, DALI-2, DMX

Ordering Codes

PROJECT: SPECIFIER:
DATE: TYPE: QUANTITY:

Ordering Code Example: SCFP-Z-SMR#BP-30-27-35-TR2-B

FIXTURE	TRIM	MOUNTING	SOURCE / WATTS	CCT	BEAM	DRIVER / CONTROL	HEAD FINISH
SCFP							
Scope Framing Projector	F Flanged Trim	SM Surface Mount *†#	C10 10W 90+CRI, 60+R9 10 Watt	27 2700K	20-35 Range	C1 0-10 1.0%, UNV (120-277V) linear	W White Paint 
	Z Flangeless Trim	SMR Surface Mount ^ Δ	C30 30W 90+CRI, 60+R9 30 Watt	30 3000K		C2 ELV/Triac 1.0%, (120V) linear	B Black Paint 
	CP Canopy Plate for Pancake Box	SMLJB - Surface Mount † Large Junction Box		35 3500K		E1 0-10 0.1%, UNV (120-277V) log	
		PM Panel Mount *†#		40 4000K		E2 DALI-2 0.1%, UNV (120-277V) log	
		PMR Panel Mount ^ Δ				E3 0-10 0.1%, UNV (120-277V) linear	
		Shallow Panel Installation				E4^ DMX 0.1%, UNV (120-277V) Universal DMX Driver/Controller RGBW-DMX ^ INCLUDES DMX/RDM COMPATIBLE DRIVER WITH BUILT-IN DECODER - CONTROLLER BY OTHERS	
		SHPM Shallow Panel Mount Δ				TR2 TruPhase™ 0.1%, (100-277V) Up to 20W Forward and Reverse compatible Phase Dimming 2 Dimming Curves: Linear/Logarithmic Static White & Ambient Dim only	
		Pancake/ Octagonal J-Box Installation					
		CM Δ Canopy Mount Retro-fit Installation					
		SHM Δ Shallow Surface Mount					
		# - Bracket Pan available - Add #BP after mounting option † Integral Driver Δ Remote Driver * Deep double gang Handy box supplied by others for driver enclosure ^ Double gang Handy box supplied by others for fixture mount and low voltage wiring For Track options see YSLH-SCFP					

Ceiling Cutouts and Dimensions

Flangeless Framing Projector (Integral Driver)

Plaster Surface Mount (SM)
(SCFP-Z-SM-)

Integral Driver

See *Integral Driver Detail* page for recessed depth and j-box configurations by driver type.

Flanged Framing Projector (IntegralDriver)

Flanged Surface Mount (SM)
(SCFP-F-SM)

Flangeless Framing Projector (Integral Driver)


Flangeless Panel Mount (PM)
SCFP-Z-PM-)

Panel Mount Detail


* Deep double gang handy box supplied by others for driver enclosure

Ceiling Cutouts and Dimensions



Flangeless Framing Projector (Remote Driver)




Plaster Surface Mount (SMR)

SCFP-Z-SMR)
 PLASTER FLANGE
 10 - 10w PROJECTOR
 30 - 30w PROJECTOR



Remote Driver Box

for E1, E2, E3, C1, C2, TR2
 REMOTE MOUNTING REQUIRED




Flanged Framing Projector (Remote Driver)





Flanged Surface Mount (SMR)

SCFP-F-SMR)
 FLANGE
 10 - 10w PROJECTOR
 30 - 30w PROJECTOR


Remote Driver Box

for E4
 REMOTE MOUNTING REQUIRED


Flangeless Framing Projector (Remote Driver)


Panel Mount
SCFP-Z-PMR-)
 CANOPY
 10 - 10w PROJECTOR
 30 - 30w PROJECTOR

Panel Mount Detail




Ceiling Cutouts and Dimensions

Flangeless Framing Projector (Integral Driver)




Plaster Surface Mount Bracket Pan (#BP)




Remote Driver Box

for E1, E2, E3, C1, C2, TR2




Remote Driver Box


for E4




Flangeless Framing Projector (Integral Driver)




Flanged Surface Mount Bracket Pan (#BP)




Flangeless Framing Projector (Integral Driver)



Panel Mount Bracket Pan (#BP)




Panel Mount Detail




Bracket Pan Detail

BP

(SCFP--Z-#BP-)



Bracket Pan Mounting Detail



Ceiling Cutouts and Dimensions

Flangeless Framing Projector (Integral Driver)

Large Junction Box
Surface Mount (SMLJB)

SCFP-Z-SMLJB)

